


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VTE INCORPORATED. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF VTE INCORPORATED IS PROHIBITED.

LTR.	REVISIONS	DATE
A	ADDED P/N 16803040001 FUSE REPLACEMENT LABEL	06SEP07
B	MATERIAL WAS CLEAR PVC	07JUL15

(A)

P/N 16803040001 LABEL,  
FUSE REPLACEMENT,  
SELF-ADHESIVE

351N8P00




R0.13 [R3.2]


R0.92 [R23.3]

ø0.73 [ø18.4]

R0.73 [R18.4]



1.89 [47.9]




7.51 [190.7]


(B)

Material:  
Material Part No:  
Max. Operating Temp:  
Durometer:  
Specific Gravity:  
Ult. Elongation %:  
Modulus PSI:  
Tensile Strength PSI:

Polypropylene Random Copolymer  
COPYLENE CR350CL-02 or Equivalent  
170 Deg. F.  
55-75 Shore D  
.902  
13.6  
145000  
4000



TOLERANCE UNLESS OTHERWISE SPECIFIED: ±.030"/±0.8mm  
RADIAL DIAMETERS TO BE MEASURED OVER MANDRELS,  
RING GAGES OR PIN GAGES OF SUITABLE SIZE

		<b>VTE Incorporated</b> 5437 Robinson Road, P.O. Box 790 Pellston, Michigan 49769 Telephone: 1-800-527-9256, 231-539-8000 FAX: 231-539-0914	
		REF:	DATE: 23JUN05
TITLE: "T" CLASS FUSE HOLDER COVER			SCALE:
MATERIAL:		PART NO. 751N8P00	
COLOR: CLEAR	DRG CLASS REV B		